Creating Perfect Kitchen with Built-in Appliances

2013

BOSCH
Invented for life

Contents.

Oven	4 - 12
Compact appliances	13 - 23
Hoods	24 - 34
Electric hobs	35 - 40
Domino hobs	41 - 46
Refrigerators	47 - 59
Dishwashers	60 - 64
Home laundry	65 - 70

Appliances shown in this catalogue may not be available in Hong Kong.

“It has always been an unbearable thought to me that someone could inspect one of my products and find it inferior in some way. For that reason I have consistently tried to produce products which can withstand the closest scrutiny – products which prove themselves to be superior in every respect.”

Robert Bosch 1861-1942, Stuttgart, Germany





Great performance. Perfect symmetry.

The new collection of Bosch built-in appliances has been designed to give you perfect symmetry in your home. Matching control panels and horizontal lines allow you to mix and match products vertically and horizontally. Every detail has been considered from the control panels, dials and knobs to the handles and door design.

Built-in appliances make the most exacting demands on the manufacturers of home appliances. By offering built-in appliances that excel in terms of quality, function and design, Bosch has developed into one of the leading suppliers in this market in the global arena. After all, quality with the “Made in Germany” label is in demand right across the world.

Bosch Household Appliances is part of the BSH group (Bosch and Siemens Hausgeräte GmbH) and is renowned premium brand in Europe. Bosch expertise spans the full spectrum of modern home appliances; a portfolio comprising refrigeration and cooking products, dishwashers, washing machines, floor-care applicanes and small appliances.

Bosch quality
At Bosch, all products are manufactured to the highest possible standards using only premium quality materials. Our design, engineering and manufacturing processes are amongst the best in the world. We test each and every product before they leave our factories to ensure they reach you in prime condition.

The Robert Bosch promise of quality is the backbone of our core business philosophy.

Bosch design and style
Give your home an edge with stylish products that complement both modern and traditional designs.

The kitchen can become the most stylish area of a modern home or apartment. With this in mind, Bosch ensures our products not only perform the best, but also look the best. Curved lines and high-grade stainless steel reflect the trend towards rounded and elegant contours.

Appliances by Bosch offer premium quality, advanced technology, ease of operation and outstanding quality. These attributes have earned us many accolades, national and international, such as the reddot design award, the iF design award and other endorsements.

Designing the new line of Bosch built-in appliances presented us with a major challenge: how to combine an attractive design with the latest technology and functions. The result was a timeless style that creates an outstanding degree of harmony in your kitchen. For, after all, what could afford greater **pleasure than when everything matches.**

Robert Sachon, Bosch Brand Design Manager

Ovens.

Ovens
Features and benefits.

Design

Metal behind glass
The new generation of Bosch ovens bring style and elegance to the kitchen. The new concept U-form door has a horizontal section of steel behind the outer glass for a unique, chic look.

Sleek new lines
Our new ovens combine the highest quality stainless steel and glass for a sleek and resistant finish. The ergonomically designed all-steel straight bar handle integrates perfectly with the door.

Control panel
Fully programmable, the new twin display control panel is intuitive and simple to use. Selected models also feature clear text on the display screen.

Pop-out controls
Not only they make the oven easy to operate, but also maintain a clean line when the oven is not in use, making the oven control panel easy to clean. Our top of the range models also have an illuminated red band.

Metal touch controls
Our state-of-art ovens now feature the latest in touch control technology with metal touch controls, which only require the lightest touch to activate them.

Performance

Energy label
To help you choose the most energy efficient appliances, the EU has introduced an energy-rating scheme, and all ovens are required to display an Energy Label. Bosch ovens are rated 30% more efficient than Energy Efficiency Class A*.

Cooling fan
The fan circulates cool air around the oven ensuring the appliance itself and the surrounding furniture is kept cool. It also helps cool the hot air vented from the oven. As cooler air is vented into the kitchen, this means less steam and practically eradicates grease discoloration.

Convenience

EcoClean

EcoClean liners are a highly efficient cleaning system. Grease and fat deposits are absorbed into the liners and are dispersed around the microscopic ceramic spheres. During the cleaning cycle, oxygen is released, burning away deposits absorbed in the liners. Being up to four times more effective than standard catalytic liners, the EcoClean system will provide excellent cleaning performance.

Memory function

Store your favorite recipe instructions e.g. heating mode + temperature + cooking duration then simply press the memory button to repeat the sequence at any time.

AutoPilot programmes

In years of research we kept on cooking the same things over and over again – day in, day out – until we defined the ideal sequence of temperature changes and heating mode for each individual dish and weight. So, the automatic bake and roast programmes of our AutoPilot leaves you free to concentrate on the creative aspect of cooking.

Safety

SoftClose Doors

A hidden mechanism in the door hinge means enables the controlled soft close action of the oven door, reducing noise and allowing it to close gently and safely.

Telescopic rail with stop function

Available as optional accessories, these easy to use, stable rails make it easier than ever to check on the progress of your food. The rails are fully extendible so that food is fully visible and accessible without having to reach into the oven. The Stop function means you can never pull the
rails out too far.

Cool touch doors

Specific models of Bosch ovens have been fitted with quadruple glazed doors. This allows for peace of mind when the oven is in operation. With a reflective inner glass to keep more heat in the oven and ensure the external temperature is safe to touch.

Safe touch doors

Bosch oven doors are either double or triple glazed depending on the model, ensure that the temperature of the door is always well within safety standards.

Childproof lock

Simply press the key lock for 4 seconds to disable all functions. It is the most reliable safety feature for oven.

Cooking is simple with a Bosch oven

1. **Switch on the Appliance.**
2. **Simply place the dish in the oven, and then choose the appropriate automatic programme from the menu.**
3. **Input the weight of the dish and specify how you want the dish to be cooked eg. rare, medium or well done.**
4. **Press Start. Once the start button is pressed, Auto Cook then takes over and determines the cooking mode, temperature and cooking duration.**

Poultry, red meat, fish or stews, Auto Cook will cook your dish to perfection. As Auto Cook requires the use of ovenware with a lid, your oven will stay clean too. Cooking with Bosch couldn't be simpler.

Heating functions.

Multi-function cooking provides solutions for all your cooking needs. With a choice of up to 11 different heating functions, from traditional heating systems to more specialised functions such as HydroBaking and Pizza setting. Bosch oven will provide you with the flexibility to prepare a variety of meals for you and your family.

3D hot air Plus
A round heating element is neatly concealed around the fan. The new 3D hot air plus function provides improved heat distribution and constant circulation of hot air. This eliminates hot spots, allowing you to cook on three levels simultaneously.

Grill - large area
Enables you to grill large quantities with precise temperature control. For added efficiency, grilling is performed with the oven door closed.

Defrost
Perfect for gentle defrosting of meat, poultry, bread and much more.

HydroBaking
Retains the moisture extracted during the cooking process as steam to prevent your baking from drying out. Ideal for bread and pastries.

Rapid heating
This time-saver preheats the oven faster by using all the heating elements at once.

Keep warm
This convenient function keeps food warm at temperatures between 60ºC and 100ºC at the touch of a button.

Top and bottom heating
Uses both the upper and lower heating elements. The heat travels to the centre of the oven by natural convection, which is the best position to obtain the selected temperature. Most foods can be cooked using this system, but it is best suited to foods which require a dark crisp finish or long, slow cook.

Grill - small area
On selected ovens, you have the option to select just the centre section of the grill element as an economical way to grill smaller quantities of food.

AutoPilot
Simply place the dish in AutoPilot the oven and then choose the appropriate automatic programme from the menu. Specify how you want your dish cooked e.g. rare, medium or well done, input the weight and press start. AutoPilot then takes over and determines the cooking mode, temperature and cooking duration to cook your dish to perfection.

Low temperature cooking / Slow cook
Ideally suited for keeping high quality pan-fried meat at the desired level of rareness or for an extended period of time without it spoiling.

Plate warming
Food stays warm for longer if served up in preheated ovenware. Plate warming allows you to preheat porcelain ovenware between 30ºC to 70ºC.

Bottom heating
Only the bottom element is used to generate heat. This method is ideal for reheating or for when a crisp underside is required for pizza bases and pastry cases. It can also be used for drying herbs and bain-marie cooking.

Hot air grilling
An ideal cooking method for meat and poultry where a rotisserie effect is desired. The grill and fan operate alternately, which results in even, crisp food and use less energy than traditional roasting.

Pizza setting
Designed with the pizza-lover in mind, but equally useful for quiches and tarts, this innovative function delivers cooking power for a perfectly crisp, browned base while keeping the topping moist. Suitable also for frozen food. In many cases preheating is not required.

Intensive heat
This time-saver delivers immediate, intense heat from below and is particularly effective for foods with a crispy base. Suitable for baking cakes and quiches, it is also ideal for baking when using tin, glass or porcelain moulds, which tend to reflect heat or are poor conductors of heat.

Hotair Eco – up to 30% more economical than energy efficiency class A.
Optimised to cook efficiently and economically on one shelf level therefore reducing your electricity consumption by up to 30%. Energy consumption isn't the only thing that is exemplary, though. Cooking results are unrivalled as well.

	HBA13B150A **60cm Built-in oven**	**$8,800**
	Energy A · 3D Hotair Plus · ChildLock	
Performance	• 4 heating methods: - 3D hot air plus - Hot air grilling - Grill - large area - Defrost • Energy efficiency class: A	
Features	• Electronic touch control clock / timer with LED display • Triple glass door (40°C door temperature#)	
Design	• Mechanical rotary knobs with glass & metal touch control • Electronic clock • Enamel oven interior • 5 shelf positions • Door hinge: bottom	
Safety functions	• Childproof lock • Integral cooling fan	
Technical information	• Total connect load: 2.2kW (13A) • Oven capacity: 62L • Heating temperature: 50°C - 270°C (max.) • Dimensions (H x W x D): - Appliance: 595 x 595 x 515 mm - Cavity: 329 x 482 x 387 mm	
Supplied accessories	• 1 universal pan • 1 combination grid	
Country of origin	• Spain	

#Measured at the middle of the window at 180°C oven temperature, after 1 hour on top and bottom heat.



*20 mm for metal fascias

Measurements in mm

Green Technology inside



*20 mm for metal fascias



*20 mm for metal fascias



* 20 mm for metal fascias

	HBN531E0 **60cm built-in oven**	**$11,800**
	Energy A, -20%, 3D Hotair Plus, ChildLock	
Performance	• 5 cooking methods: - Top and bottom heating - 3D hot air plus - Bottom heating - Hot air grilling - Grill - large area • Energy efficiency class: A-20%	
Functions	• Catalytic panel top, back and side liners	
Features	• Rapid heat function • Triple glazed door glass door (50°C door temperature#) • Heating up indicator	
Design	• Mechanical rotary knobs • Electronic clock • Enamel oven interior • 4 shelf levels • Drop hinge: bottom	
Safety functions	• Childproof lock • Integral cooling fan	
Technical information	• Total connect load: 3.6kW (20A single-phase connection) • Oven capacity: 67L • Heating temperature: 50°C - 270°C (max.) • Dimensions (H x W x D): - Appliance: 595 x 595 x 548 mm - Cavity: 329 x 482 x 420 mm	
Supplied accessories	• 1 aluminium baking tray • 1 combination grid • 1 universal pan	
Country of origin	• Turkey	

#Measured at the middle of the window at 180°C oven temperature, after 1 hour on top and bottom heat.

Measurements in mm

Green Technology inside



*20 mm for metal fascias



*20 mm for metal fascias



* 20 mm for metal fascias

	HBG43S450A **60cm built-in oven**	**$13,300**
	Energy A, -20%, SoftClose Door, EcoClean, Multifunction 3D Plus, 3D Hotair Plus, ChildLock	
Performance	• 5 heating methods: - Top and bottom heating - Bottom heating - 3D hot air plus - Hot air grilling - Grill - large area • Energy efficiency class: A-20%	
Functions	• EcoClean liner at rear, ceiling and side liners • Integrated 2-level telescopic rails	
Features	• Automatic rapid heating up • Triple glass door (40°C door temperature#)	
Design	• softClose door • Retractable knob with glass & metal touch control • Extra large capacity oven with grey enamel • 5 shelf positions • Door hinge: bottom	
Safety functions	• Childproof lock • Integral cooling fan • Safety switch off function	
Technical information	• Total connect load: 3.5kW (20A single-phase connection) • Oven capacity: 67L • Heating temperature: 50°C - 270°C (max.) • Dimensions (H x W x D): - Appliance: 595 x 595 x 548 mm - Cavity: 329 x 482 x 420 mm	
Supplied accessories	• 1 universal pan • 1 enamel baking tray • 2 combination grids • 1 grill tray	
Optional accessory	• 3-level full extension telescopic rails with stop function (HEZ338357 Price: $2,500)	
Country of origin	• Germany	

#Measured at the middle of the window at 180°C oven temperature, after 1 hour on top and bottom heat.

Measurements in mm

Green Technology inside



*20 mm for metal fascias



*20 mm for metal fascias



* 20 mm for metal fascias

	HBG56B550J **60cm Built-in oven**	**$23,300**
	Energy A, -30%, EcoClean, AutoPilot 40, SoftClose door, Multifunction 3D Plus, HotAir Eco, 3D Hotair Plus, ChildLock	
Performance	• 11 heating methods: - Top and bottom heating - Bottom heating - Hot air eco - 3D hot air plus - Hot air grilling - Grill - large area - Grill - small area - Defrost - Pizza setting - HydroBaking - Keep warm • Energy efficiency class: A-30%	
Functions	• EcoClean liner at rear, ceiling and side liners • 40 AutoPilot programmes • Memory function	
Features	• Automatic rapid heating up • Electronic control • Digital temperature display • Triple glass door (40°C door temperature#) • Sabbath setting • Heating up indicator • Residual heat indicator • Automatic switch off	
Design	• SoftClose door • Retractable illuminated knob with glass and metal touch control • Extra large capacity oven with grey enamel • 5 shelf positions • Door hinge: bottom	
Safety functions	• Electronic door lock • Childproof lock • Integral cooling fan • Safety switch off function	
Technical information	• Total connect load: 2.9kW (20A single-phase connection) • Oven capacity: 67L • Heating temperature: 30°C - 300°C (max.) • Dimensions (H x W x D): - Appliance: 595 x 595 x 548 mm - Cavity: 329 x 482 x 420 mm	
Supplied accessories	• 1 enamel baking tray • 1 combination grid • 1 universal pan	
Optional accessory	• 3-level full extension telescopic rails with stop function (HEZ338357 Price: $2,500)	
Country of origin	• Germany	

#Measured at the middle of the window at 180°C oven temperature, after 1 hour on top and bottom heat.

Measurements in mm

Compact appliances.

Compact ovens, Steamer, Microwaves and Warmer drawers Features and benefits.

Sleek new lines
Our new compact appliances combine the highest quality stainless steel and glass for a sleek and resistant finish. The ergonomically designed all steel straight bar handle integrates perfectly with the door. And, matching control panels and horizontal lines allow you to mix and match different appliances vertically and horizontally for a completely coordinated look.

Metal behind glass
The new generation of Bosch ovens bring style and elegance to the kitchen. The new concept U-form door has a horizontal section of steel behind the outer glass for a unique, chic look.

Control panel
Fully programmable, the new twin display control panel is intuitive and simple to use. Selected models also feature clear text on the display screen.

Pop-out controls
Not only they make the oven easy to operate, but also maintain a clean line when the oven is not in use, making the oven control panel easy to clean. Our top of the range models also have an illuminated red band.

Metal touch controls
Our state-of-art ovens now feature the latest in touch control technology with metal touch controls, which only require the lightest touch to activate them.

AutoPilot programmes
In years of research we kept on cooking the same things over and over again – day in, day out – until we defined the ideal sequence of temperature changes and heating mode for each individual dish and weight. So, the automatic bake and roast programmes of our AutoPilot leaves you free to concentrate on the creative aspect of cooking.

Memory function
Store your favorite recipe instructions e.g. heating mode + temperature + cooking duration then simply press the memory button to repeat the sequence at any time.

3-stage programming
This feature allows you to programme the microwave to automatically run up to three power levels and cooking times consecutively.

Steamer

Better for you
Steaming helps to retain the vitamins and minerals in foods, which dissolve when immersed in water. In fact, compared with boiling, steam cooking retains almost 50% more of the vitamin and mineral content.

Better-looking and tastier food
The gentle heat action of steaming not only preserves the flavour, colour and aroma of the food but also maintains the form and texture. Natural juices are retained without drying up.

Large 1.3 litres water tank
Direct connection to a water pipe is not necessary as our steamer feature a removable water tank, which is simple and easy to refill.

Steam combi oven
The Bosch steam oven, an innovative combination of steam and hot air produces succulent, crispy roasts as effortlessly as all kinds of pudding. Not to mention tasty bakes. Or would you prefer some freshly baked bread or homemade biscuits? No problem, after all, steam ovens have been used professionally for decades in the bakery trade.

Microwave

Microwave cooking
It is a fact that most kitchens today have a microwave oven. What makes the new Bosch HMT35M653B microwave special is that it is designed specifically to be built-in above a Bosch oven or in a separate cabinet to avoid cluttering up the counter top. This 1000W microwave features 36 litres large capacity, memory programmes and defrosts settings.

Automatic weight programme
Press the programme button, select the programme number and enter the weight. The oven will automatically calculate the optimum power and time required to cook or defrost your dish to perfection.

Memory function
Store 2 of your favorite recipe instructions, and then simply press the memory button to repeat the sequence any time.

3-stage programming
Allows you to programme the microwave to automatically run up to three power levels and cooking time consecutively.

Digital display
Clearly indicates the power level and cooking duration selected. All Bosch microwaves also feature a 24-hour digital clock and timer control up to 99 minutes.

Warmer Drawer

Plate warming
Food stays warm for longer if served up preheated ovenware. Bosch warming drawers allow you to preheat porcelain ovenware to between 30ºC to 80ºC.

Hold warm
Not only can you heat-up your crockery with a Bosch warming drawer but you can also keep food hot for up to an hour.

Defrost
Perfect for gently defrosting meat, poultry, bread, cream cakes and much more. Also ideal for defrosting nonsensitive foods.

Dough proving
The gentle heat of the warming drawer is perfect environment for rising dough.





* For installation under an induction hob, min. 50



	HBC33B550W **45cm Built-in compact oven**	**$17,800**
	Energy A · Multifunction 3D Plus · 3D Hotair Plus · ChildLock	
Performance	• 8 heating methods: - Top and bottom heating - Bottom heating - 3D hot air plus - Hot air grilling - Grill - large area - Grill - small area - Pizza setting - Defrost • Energy efficiency class: A	
Functions	• EcoClean liner at rear wall	
Features	• Automatic rapid heating up • Triple glass door (40°C door temperature[#])	
Design	• Retractable knob with glass and metal touch control • Electronic clock • 3 shelf positions • Door hinge: bottom	
Safety functions	• Childproof lock • Integral cooling fan	
Technical information	• Total connect load: 2.8kW (20A single-phase connection) • Oven capacity: 50L • Heating temperature: 50°C - 275°C (max.) • Dimensions (H x W x D): - Appliance: 454 x 595 x 550 mm - Cavity: 255 x 468 x 418 mm	
Supplied accessories	• 1 enamel baking tray • 1 combination grid • 1 universal pan	
Optional accessory	• 2-level full extension telescopic rails (HEZ338708 Price: $2,000)	
Country of origin	• Germany	

[#]Measured at the middle of the window at 180°C oven temperature, after 1 hour on top and bottom heat.

Measurements in mm

	HMT85ML53B **Built-in microwave oven**	**$8,800**
Performance	• With inverter technology • 5 power levels: 900W, 600W, 360W, 180W, 90W	
Functions	• 4 automatic cooking programmes • 3 defrost programmes • 2 recipe memory settings	
Design	• Large digital display for displaying cooking times and time of day • Mechanical rotary control • Push buttons • Interior lighting • Left hinge door	
Technical information	• Capacity: 21L • Microwave output: 900W • Total connected load: 1.2kW (13A) • Dimensions (H x W x D): - Appliance: 382 x 595 x 320 mm - Cavity: 220 x 350 x 270 mm	
Country of origin	• United Kingdom	

Microwave
in a wall-hanging
cupboard



* Colour-fronted appliances

Microwave
in a tall
cupboard



* Colour-fronted appliances

Microwave,
corner installation



Microwave
front panel overhang,
built into a tall cupboard



Microwave
front panel overhang

Overhang at top:
Recess 362 = 6mm
Recess 365** = 3**mm



Overhang at bottom: = 14mm

Measurements in mm

	HMT35M653B 45cm Built-in microwave oven	$9,300
Performance	• 5 power levels: 1000W, 600W, 360W, 180W, 90W	
Functions	• 9 Automatic programmes • 2 recipe memory settings	
Design	• Large digital display for displaying cooking times and time of day • One-knob control • Push buttons	
Technical information	• Capacity: 36L • Microwave output: 1kW • Total connected load: 1.2kW (13A) • Dimensions (H x W x D): - Appliance: 454 x 595 x 563 mm - Cavity: 242 x 430 x 345 mm	
Country of origin	• United Kingdom	









Measurements in mm









	HBC84E653B **45cm built-in combination oven with microwave**	**$24,300**
Performance	• 6 cooking methods: - Hot air - Microwave - Microwave and Oven Combination - Hot air grilling - Grill - large area - Grill - small area	
Functions	• 4 defrost programmes • 11 automatic cooking programmes • Self-cleaning catalytic black liner	
Features	• Electronic control • Digital tempertaure display • Residual heat indicator • Hot-air fan off/on when oven door opened/closed	
Design	• Retractable illuminated knob with touch control • Interior lighting • Drop hinge: bottom • 4 shelf positions	
Safety functions	• Childproof lock	
Technical information	• Total connect load 3.3kW (20A single phase connection) • Oven capacity: 36L • Heating temperature: 250°C max. • Microwave output: 1kW max. • Dimensions (H x W x D): - Appliance: 454 x 595 x 563 mm - Cavity: 242 x 430 x 345 mm	
Supplied accessories	• 1 enamel baking tray • 1 combination grid	
Country of origin	• United Kingdom	

Measurements in mm









	HBC26D553 **45cm Built-in steam oven**	**$22,300**
	AutoPilot 40 · Steam Cooker · MetalTouch · ChildLock	
Performance	• 4 heating methods: - Steam - Defrost - Reheat - Prove	
Functions	• 40 Automatic programmes • Cleaning, descaling programme • Memory function	
Features	• Electronic control • Clear text display • Digital tempertaure display • Heating up indicator • Residual heat indicator • Automatic switch off • Interior lighting	
Design	• Retractable illuminated knob with glass and metal touch control • U-shape glass on metal door design • Removable shelf support rails • 4 shelf positions • Door hinge: bottom	
Safety functions	• Childproof lock • Internal steam generator • Water Level Indicator	
Technical information	• Total connect load 1.9kW (13A) • Oven capacity: 38L • Water tank capacity: 1.3L • Heating temperature: Steam 35°C - 100°C • Dimensions (H x W x D): - Appliance: 454 x 594 x 550 mm - Cavity: 265 x 325 x 439 mm	
Supplied accessories	• 1 wire rack • 1 large cooking container (solid, 40mm deep, GN2/3) • 1 large cooking container (perforated, 40mm deep, GN2/3)	
Optional accessories	• Small cooking container (perforated) (HEZ36D153G Price: $760) • Small cooking container (solid) (HEZ36D153 Price: $760)	
Country of origin	• France	

Measurements in mm



* 20 mm for metal fascias





	HBC36D754B **45cm Built-in combination steam oven with hot-air**	**$28,300**
	Energy A · -20% · Steam Oven · 70 AutoPilot · ChildLock	
Performance	• 9 cooking methods: - Steam - Hot air - Hot air + steam - Defrost - Reheat - Prove - Slow cook - Plate warming - Keep warming • Energy efficiency class: A-20%	
Functions	• 70 Automatic programmes • Cleaning, descaling programme • Memory function	
Features	• Electronic control • Clear text display • Digital tempertaure display • Triple glass door • Hot-air fan off/on when oven door opened/closed	
Design	• Retractable illuminated knob with glass and metal touch control • Halogen interior lighting • Removable shelf support • 4 shelf levels • Door hinge: bottom	
Safety functions	• Childproof lock • Safety switch off function • Water tank empty indicator	
Technical information	• Total connect load 1.9kW (13A) • Oven capacity: 35L • Water tank capacity: 1.3L • Heating temperature: Steam 35°C - 100°C Hot air 30°C - 230°C Hot air + steam 120°C - 230°C • Dimensions (H x W x D): - Appliance: 454 x 595 x 550 mm - Cavity: 265 x 325 x 402 mm	
Supplied accessories	• 1 wire rack • 1 large cooking container (perforated, 40mm deep, GN 2/3) • 1 large cooking container (solid, 28mm deep, GN 2/3) • 1 small cooking container (perforated, 40mm deep, GN 1/3) • 1 small cooking container (solid, 40mm deep, GN 1/3) • 1 grease filter	
Optional accessory	• 1 large cooking container (solid, 40mm deep, GN 2/3) (HEZ36D453 Price: $760)	
Country of origin	• France	

Measurements in mm

	HSC140652B **14cm Warming drawer**	**$9,300**
Performance	• Drawer interior volume: - 6 x 24 cm dinner plates - 6 x 10 cm soup bowls - 1 x 19 cm serving dish - 1 x 17 cm serving dish - 1 x 32 cm meat plate	
Features	• Usable for: - Proving yeast dough - Thawing foods - Keeping food warm - Prewarming utensils • Heating plate made of toughened glass • Operating indicator light • Fully extendable telescopic rails	
Design	• Stainless steel cavity • Electronic temperature control	
Technical information	• Capacity: 20L • Loading: 25kg • Maximum loading: 12 plates or 80 espresso cups • Heating temperature: 30°C - 80°C • Total connected load: 0.81kW (13A) • Dimensions (H x W x D): - Appliance: 141 x 594 x 544 mm - Cavity: 95 x 465 x 457 mm	
Country of origin	• Slovakia	





*Colour-fronted appliances

Compact applianceswith a height of 454mm can be installed above a warming drawer in the HSC 14 range.
An intermediate floor is not required.

Measurements in mm



	HSC290652B 29cm warming drawer	$10,300
Performance	• Drawer interior volume: - 12 x 24 cm dinner plates - 12 x 10 cm soup bowls - 1 x 22 cm serving dish - 1 x 19 cm serving dish - 1 x 17 cm serving dish - 2 x 32 cm meat plates	
Features	• Usable for: - Proving yeast dough - Thawing foods - Keeping food warm - Keeping food warm • Heating plate made of toughened glass • Operating indicator light • Fully extendable telescopic rails	
Design	• Stainless steel cavity • Electronic temperature control • Full metal bar handle	
Technical information	• Capacity: 52L • Loading: 25kg • Maximum loading: 40 plates or 120 espresso cups • Heating temperature: 30°C - 80°C • Total connected load: 0.81kW (13A) • Dimensions (H x W x D): - Appliance: 290 x 594 x 544 mm - Cavity: 245 x 465 x 457 mm	
Country of origin	• Slovakia	





Oven with a height of 595cm can be installed above a warming drawer in the HSC 29 range. An intermediate floor is not required.

Measurements in mm

Hoods.

Hoods
Features and benefits.

Design

New Bosch user interface
The new design, MetalTouch control fit in perfectly with our new range of ovens. Its flat surface control panel makes cleaning even more easy.

Worktop lighting
Thanks to the light dimmer function, you can set the brightness of the hood to provide the perfect atmosphere lighting in the kitchen. Once activated, light builds up gradually before reaching its maximum strength. This ensures greater eye-comfort when moving from dark atmosphere to a bright surrounding. Similarly, the light gradually fades when deactivated. The intensity of the light can be set to provide a discreet hood or brighten the cooking zone that reflects your personal choice.

Performance

Ducted extraction
Ducting is the most powerful effective method of extraction if the hood can be sited on an outside wall, or an outside wall can be reached via ducting.

Recirculation extraction
If an outside wall cannot be reached the extractor can be set up for recirculation. Air is drawn into the appliances through the filters to neutralise odours and remove grease particles. The cleaned air is then returned to the kitchen. A carbon filter is necessary for recirculation (optional accessories)

Powerful extraction rate
There is no need to step outside for a fresh air. With Bosch line of efficient, high-performance ventilation hoods, you can clear the air quickly, quietly and beautifully. With models offering up to 900m³/h maximum extraction of ventilating capability, they quickly remove steam, odours, grease and smoke generated by cooking.

Metal filter
A metal grease filter provides the ultimate in filtering efficiency. The dishwasher-proof metal mesh requires periodic cleaning but can be used over and over again.

How to select the most suitable cooker hood?

First rule of thumb:
The right extractor hood should exchange the air in your kitchen between 6 and 12 times an hour, without creating a draught.

Sample calculation using the first rule of thumb:	
Kitchen dimensions L x W x H	Volume of kitchen
3 x 4 x 2.5m =	30m³
Air exchange x volume of kitchen	Recommended extraction rate
6 x 30m³	180m³

Second rule of thumb:
In order to calculate the required extraction rate even more precisely, the air resistance must also be taken into account. This can differ, depending on the different types of installation. The rule of thumb here is: each metre of ducting reduces the extracting performance by 20-50m³/h. This means that if a hood with a long extraction duct is required, a higher extraction rate is needed than that which was calculated with the first rule of thumb.

Sample calculation using the second rule of thumb:	
Recommended extraction rate	Loss of performance per metre of ducting
180m³/h	20m³/h
Duct length	Actual capacity
7m	180 – 140 = 40m³/h

Convenience

Variable power settings
All Bosch hoods feature variable power settings, which can be set to effectively remove odours, smoke and moisture caused by cooking in the kitchen area. Many hood models also feature an intensive extraction setting, which gives an extra boost to the performance of the hood when required.

After running
The hood automatically continues to run on, for approx ten minutes, after normal operation to ensure that any remaining vapours and odours are effectively whisked away. The hood then automatically switches off.

Automatic switch back
When the intensive setting is selected it may be set to automatically revert back to a pre-defined normal level after a short period of time.

Electronic ‘clean-filter indicator’
When the filter needs a cleaning, a light is illuminated ensuring the efficiency of the hood is maintained.

	DKE908PMY 90cm wall mounted chimney hood	$6,800
	90 cm	
Performance	• Suitable for exhaust air operation	
Functions	• Rocket switches control for extractor speed and light • 3 speed settings • 2 x 20W halogen lights	
Design	• Professional oil collection channel	
Technical information	• Max. extraction capacity: 860m³/h • 175mm diameter pipe • Total connected load: 0.19kW (13A) • Appliance dimensions (H x W x D): Exhaust: 595-880 x 900 x 530 mm	
Supplied accessories	• 2 dishwasher safe metal grease filters • 1 oil cup	
Country of origin	• China	





Measurements in mm

	DKS968DSG **90cm wall mounted chimney hood**	**$8,800**
	90 cm	
Performance	• Suitable for exhaust air operation	
Functions	• Touch control panel • 3 speed settings • 2 x 20W halogen lights with softLight function	
Feature	• Automatic cleaning • Delay shut-off	
Design	• LED display • Double filter system • Professional oil collection channel	
Technical information	• Max. extraction capacity: 860m³/h • 175mm diameter pipe • Total connected load: 0.19kW (13A) • Appliance dimensions (H x W x D): Exhaust: 480-780 x 900 x 530 mm	
Supplied accessories	• 1 dishwasher safe metal grease filter • 1 oil cup	
Country of origin	• China	





Measurements in mm

Green Technology inside

	DWT09U850 90cm Wall mounted chimney hood	$10,300
	90 cm · Easy mounting	
Performance	• Suitable for exhaust or re-circulated air operation • 3 speeds plus intensive setting	
Functions	• Push button electronic controls • 3 x 20W halogen lights • 3 removable metal grease filters • softLight dimmer function	
Features	• Automatic run on for 10 minutes • Automatically switches back from intensive to normal setting • Ultra sound automatic sensor	
Design	• Double box design • LED display	
Technical information	• Max. extraction capacity: 900m³/h • 120 or 150mm diameter pipe • Total connected load: 0.32kW (13A) • Appliance dimensions (H x W x D): Exhaust: 658-954 x 900 x 500 mm Recirculate: 658-1064 x 900 x 500 mm	
Supplied accessories	• 3 dishwasher-safe metal grease filters	
Optional accessories	• Charcoal re-circulating kit (DHZ5355 Price: $800) • cleanAir recirculation kit (DSZ5240 Price: $1,800)	
Country of origin	• Germany	



(1) Exhaust air
(2) Circulated air
(3) Air outlet - install with vent at bottom for exhaust air





* from upper edge of pan support



* from upper edge of pan support

Measurements in mm

Green Technology inside

	DWA09E850 90cm Wall mounted chimney hood	$12,300
	90 cm · Easy mounting	
Performance	• Suitable for exhaust or re-circulated air operation	
Functions	• Push button electronic controls • 3 speeds plus intensive setting • 2 x 20W halogen lights	
Features	• Automatic run on for 10 minutes • Automatically switches back from intensive to normal setting	
Design	• Glass superslim • LED display	
Technical information	• Max. extraction capacity: 900m³/h • 120 or 150mm diameter pipe • Total connected load: 0.3kW (13A) • Appliance dimensions (H x W x D): Exhaust: 634-954 x 900 x 540 mm Recirculate: 634-1064 x 900 x 540 mm	
Supplied accessory	• 1 dishwasher- safe metal grease filter	
Optional accessories	• Charcoal re-circulating kit (DHZ5325 Price: $800) • cleanAir recirculation kit (DSZ5200 Price: $1,800)	
Country of origin	• Germany	



(1) Exhaust air
(2) Circulated air
(3) Air outlet - Fit the exhaust air slot facing downwards



If a back panel is used, the design of the appliance must be considered.





* From upper edge of pan support

Measurements in mm

Green Technology inside

	DWB129950 120cm Wall mounted chimney hood	$23,300
	120 cm · Easy mounting	
Performance	• Suitable for exhaust or re-circulated air operation • 3 speeds plus intensive setting	
Functions	• Twin channel high performance fan motor • Metal touch electronic controls • 4 x 20W halogen lights • 2 removable metal grease filter • softLight dimmer function	
Features	• Automatic run on for 10 minutes • Automatically switches back from intensive to normal setting	
Design	• Box design • Rim ventilation	
Technical information	• Max. extraction capacity: 1100m³/h • 120 or 150mm diameter pipe • Total connected load: 0.44kW (13A) • Appliance dimensions (H x W x D): Exhaust: 653-982 x 1200 x 500 mm Recirculate: 653-1097 x 1200 x 500 mm	
Supplied accessories	• 2 dishwasher-safe rim ventilation filters	
Optional accessories	• Charcoal re-circulation kit (DHZ5245 Price: $800) • cleanAir recirculation kit (DSZ5210 Price: $1,800)	
Country of origin	• Germany	



* From the upper edge of the pan support





* From upper edge of pan support





Measurements in mm

Green Technology inside

	DIB09E850 90cm Island chimney hood	$22,300
	90 cm	
Performance	• Suitable for exhaust or re-circulated air operation • 3 speeds plus intensive setting	
Functions	• Push button electronic controls • 4 x 20W halogen lights	
Features	• Automatically switches back from intensive to normal setting	
Design	• Box superslim • LED display	
Technical information	• Max. extraction capacity: 900m³/h • 120 or 150 mm diameter pipe • Total connected load: 0.34kW (13A) • Appliance dimensions (H x W x D): Exhaust: 744-924 x 900 x 600 mm Recirculate: 744-1044 x 900 x 600 mm	
Supplied accessories	• 3 dishwasher-safe metal grease filters	
Optional accessories	• Charcoal re-circulating kit (DHZ5385 Price: $1,000) • cleanAir recirculation kit (DSZ5230 Price: $2,300)	
Country of origin	• Germany	









Measurements in mm

	DHI685S 60cm Telescopic hood	$7,800
	60 cm	
Performance	• Suitable for exhaust or re-circulated air operation • 3 speeds plus intensive setting	
Functions	• 2 high speed fans • Push button electronic controls • 2 x 20W halogen lights	
Features	• Automatic run on for 10 minutes • Automatically switches back from intensive to normal setting • Ultra sound automatic sensor	
Design	• Telescopic design • LED display	
Technical information	• Max. extraction capacity: 720m³/h • 120 or 150mm diameter pipe • Total connected load: 0.24kW (13A) • Appliance dimensions (H x W x D): 465 x 597 x 273 mm	
Supplied accessories	• 2 dishwasher-safe metal grease filters	
Optional accessories	• Charcoal re-circulating kit (DHZ4505 Price: $800) • Aluminium handle with brand logo (DHZ4670 Price: $800) • Aluminium handle for operation panel on the front (DHZ4675 Price: $800)	
Country of origin	• Germany	





Measurements in mm

	DHI965V 90cm Telescopic hood	$8,800
	90 cm	
Performance	• Suitable for exhaust or re-circulated air operation • 3 speeds plus intensive setting	
Functions	• 2 high speed fans • Push button electronic controls • 3 x 20W halogen lights	
Features	• Automatic run on for 10 minutes • Automatically switches back from intensive to normal setting	
Design	• Telescopic design • LED display	
Technical information	• Max. extraction capacity: 720m³/h • 120 or 150mm diameter pipe • Total connected load: 0.26kW (13A) • Appliance dimensions (H x W x D): 475 x 897 x 273 mm	
Supplied accessories	• 2 dishwasher-safe metal grease filters	
Optional accessories	• Charcoal re-circulating kit (DHZ4505 Price: $800) • Aluminium handle with brand logo (DHZ4970 Price: $800) • Aluminium handle for operation panel on the front (DHZ4975 Price: $800) • Installation set for DHI965V installed in a 90cm wall unit (DHZ4910 Price: $800)	
Country of origin	• Germany	









Measurements in mm

Electric hobs.

Electric hobs
Features and benefits.



Design

Slim metal profile
Bosch induction hob with comfort design can be built-in independently or coordinated with other cooktop, such as Domino wok burner. The slim brushed steel profile can be combined profile to profile without visible links.

Convenience

DirectSelect
Simply selecting the required power level from those on offer (key laid out on the hob) instead of having to press +/– keys repeatedly.

Control panel pause
“Pause” the control panel at its current settings to allow the surface to be wiped down (if something spills). Save the user having to switch off the hob to clean it or risk disturbing the settings. Reverts back at the touch of the key or after 20 seconds.

Performance

Induction ceramic hob
Induction technology is now widely recognised as one of the quickest, safest and most efficient methods of cooking available. It uses an electromagnetic field to instantly generate heat, giving you the control and responsiveness of gas, but with far more energy efficiency. Heat is only generated when the pan is placed on the hob – it stops as soon as the pan is removed. While an induction hob cooks almost twice as quickly as a standard ceramic hob, and 40% quicker then gas, the ceramic glass of an induction hob does not get as hot as that of standard ceramic hobs, which makes for a safe and easy-to-clean cooking surface. The hob will only operate with pans with a ferrous (or magnetic) base.

Radiant ceramic hob
With their electronic touch controls and flexible cooking zones, our ceramic hobs combine great looks with smart function and design. The smooth ceramic glass hob surface is tough and durable as well as being practical and easy to clean.

Boost function
Increase the power output of the selected cooking zone by approximately 50% by 'borrowing' power from another zone. Note that when boost is selected for a particular zone, the partner zone contributing the power cannot be used.

Automatic pan recognition
The hob recognises the size of the pan and only heats up the base of the pan and not the whole zone, saving time and energy.

Safety

2-stage residual heat display
Provides clear indication of when a zone is still hot after it has been turned off. There are 2 levels: ‘H’-residue heat sufficient to finish off cooking or to keep warm.‘h’-residue heat insufficient to cook, but zone is still hot enough for caution.

Childproof lock
Featured as standard on all touch control models, it prevents the hob from being inadvertently operated

9 Levels of Security

1. Automatic shutdown
If you forget, the system cuts automatically feeding the table.

2. Anti-spill
If liquid overflows the table immediately ceases run.

3. Anti-overheating
Even when the table is off, its temperature is controlled and the cooling fan can trigger.

4. Detection of containers
The start of the plate only works if a pan is on fire.

5. Detection of small items
The induction works only in presence of metal surfaces above 10 cm in diameter.

6. Residual heat indicators
Each home has a light, indicating that the surface is still hot.

7. Low Intensity Detector
In low intensity, the detector signals and advises that you consult.

8. Child Safety
Very practical, this function locks the controls and avoids any manipulation blocker.

9. Detection bad connection
This prevents damage to the device in case of improper installation.

	PMI968MS 76cm Induction ceramic hob	$8,300
Performance	• 2 Induction cooking zones • 9 stages of power setting • DirectSelect touch control	
Features	• Automatic pan recognition sensor • Kitchen timer with buzzer • Boost function for all zones	
Design	• LED cooking timer and display • Main on/off switch	
Safety functions	• 2-stage residual heat indicator for each zone - LED “H” when zones are above 95°C - LED “h” when zones are above 65°C • Safety switch-off • Small cookware detection • Anti overflow protection • PowerManagement Function	
Technical information	• Cooking zone output • Total connected load: 3.6kW (20A single phase) • Dimensions: - Appliance (H x W x D): 53 (excl. glass thickness) x 760 x 450 mm - Cut out (W x D): 700 x 400 mm • Min. thickness of worktop: 20 mm	
Country of origin	• China	

Zone	Output (kW)	Output with booster (kW)	Diameter (mm)
Left	2.2	3.3	210
Right	1.4	1.8	150



Measurements in mm







Induction hob over a drawer



① Ventilation gap must be present

Induction hob over an oven



① Ventilation gap must be present

PID675N24E
60cm Induction ceramic hob — **$17,800**

Performance
- 3 Induction cooking zones
- 17 stages of power setting
- DirectSelect touch control

Functions
- FryingSensor Plus:
  - Right side front and rear cooking zone
  - 4 level frying temperature levels
  - 9 automatic frying programmes
- 32cm World largest cooking zone

Features
- Automatic pan recognition sensor
- Kitchen timer with buzzer
- Boost function for all zones

Design
- Can be combined with all hobs in comfort design
- LED cooking timer and display
- Main on/off switch

Safety functions
- 2-stage residual heat indicator for each zone
  - LED “H” when zones are above 95°C
  - LED “h” when zones are above 65°C
- Safety switch-off
- Small cookware detection
- Anti overflow protection
- PowerManagement Function

Technical information
- Cooking zone output

Zone	Output (kW)	Output with booster (kW)	Diameter (mm)
Left	2.2/2.6/3.3	3.3/3.4/3.6 4.6 (superbooster)	210/260/320
Front right	1.8	2.5	180
Rear right	1.4	1.8	145

- Total connected load: 6.8kW
  (40A - single phase / Two pieces of 2-phase connection each at 20A)
- Dimensions:
  - Appliance (H x W x D): 50 (excl. glass thickness) x 606 x 527 mm
  - Cut out (W x D): 560 x 490-500 mm
- Min. thickness of worktop: 20mm
- Min. ventilation space:
  - 20mm from back of the cabinet to the wall
  - 45mm / 30mm from the worktop to the top of drawer or oven respectively

Optional accessory
- Connection strip (HEZ394301 Price: $900)

Country of origin
- Spain

Measurements in mm







Induction hob over a drawer



① Ventilation gap must be present

Induction hob over an oven



① Ventilation gap must be present

PIN675N14E — $20,800

60cm 2 circuit zones with 1 flexInduction hob

Performance
- 4 Induction cooking zones
- 1 flexInduction cooking zone
- 17 stages of power setting
- DirectSelect touch control
- Can be used as 4 traditional cooking zones

Functions
- FryingSensor Plus:
  - Right side front and rear cooking zone
  - 4 level frying temperature levels
  - 9 automatic frying programmes

Features
- Automatic pan recognition sensor
- Kitchen timer with buzzer
- Boost function for all zones

Design
- Facette front and rear side profiles
- Can be combined with all hobs in comfort design
- LED cooking timer and display
- Main on/off switch

Safety functions
- 2 stage residual heat indicator for each zone
  - LED “H” when zones are above 95°C
  - LED “h” when zones are above 65°C
- Wipe protection function
- Safety switch-off
- Small cookware detection
- Anti overflow protection
- PowerManagement Function

Technical information
- Cooking zone output

Zone	Output (kW)	Output with booster (kW)	Diameter (mm)
Left	3.3	3.6	400 x 200
Front right	2.2	3.3	210
Rear right	1.4	1.8	145

- Total connected load: 7.2kW
  (40A - single phase / Two pieces of 2-phase connection each at 20A)
- Dimensions:
  - Appliance (H x W x D): 50 (excl. glass thickness) x 606 x 527 mm
  - Cut out (W x D): 560 x 490-500 mm
- Min. thickness of worktop: 20mm
- Min. ventilation space:
  - 20mm from back of the cabinet to the wall
  - 45mm / 30mm from the worktop to the top of drawer or oven respectively

Optional accessory
- Connection strip (HEZ394301 Price: $900)

Country of origin
- Spain

Measurements in mm

Domino hobs
Features and benefits.





Design

Flexibility through design
Domino hobs offer the ultimate in flexibility and consumer choice. With this nifty modular system, you have the freedom of designing your own cooking centre by mixing and matching the domino hobs with the electric hobs. Select any combination from our range of gas, induction, radiant or barbecue grill.

Slim metal profile
Our domino hobs with new comfort design can be built-in independently or coordinated with other cooktop, such as 60cm induction hob (PID675N24E). The slim brushed steel profile can be combined profile to profile without visible links.

New control dial
Dials match the design of our new range of ovens so that you can perfectly coordinate your kitchen.

Cast iron pan supports
Cast iron pan supports are both stylish and highly durable, providing solid and robust support for your cooking pans whilst adding a strong contemporary look to your kitchen.

Performance

High-power wok-style burner
Selected domino hob models feature a powerful wok-style burner which provides an intense heat to the pan up to 6kW. Suitable for use with flat-based pans or with a wok using the pan cradle provided.

Flexible burners
All our domino hobs feature different burner combinations for greater flexibility. With high speed, normal and economy burners you can cook more efficiently with the correct sized burner for the size of pan.

Convenience

One hand ignition
Push and turn the ergonomically designed control knobs and the gas ignites automatically. As well as offering the convenience of only using one hand there is also no separate ignition button to clean.

DirectSelect
Simply selecting the required power level from those on offer (key laid out on the hob) instead of having to press +/– keys repeatedly.

Safety

Flame failure device
If the burner accidentally extinguished, the thermostat reacts and shuts off the gas supply to the burner.

2-stage residual heat display
Provides clear indication of when a zone is still hot after it has been turned off. There are 2 levels: ‘H’-residue heat sufficient to finish off cooking or to keep warm. ‘h’-residue heat insufficient to cook, but zone is still hot enough for caution.

	PRA326B92X Domino town gas wok burner	$10,800
	30 cm	
Performance	• 1 dual circuit wok burner • Individual control of inner and outer flame • 1 hand ignition with control knob • Electrical spark ignition	
Design	• Can be combined with all hobs in comfort design	
Safety functions	• Flame failure safety device	
Technical information	• Preset of town gas • Burner output: 6.0kW • Total connect load: 0.8W (13A) • Dimensions: - Appliance (H x W x D): 87 (excl. glass thickness) x 306 x 527 mm - Cut out (W x D): 270 x 490-500 mm	
Supplied accessory	• Cast iron pan support	
Optional accessory	• Connection strip (HEZ394301 Price: $900)	
Country of origin	• Austria	



* Minimum distance from the hob cut-out to the wall

For installation of 2 or more domino appliances



*Dependent on the cut-out depth



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).



When installing a Domino units right next to a hob, an assembly kit (HEZ394301) is required

Measurements in mm

product design award

	PRB326B90X Domino town gas double burner	$10,300
	30 cm	
Performance	• 2 single circuit burners • 1 hand ignition with control knob • Electrical spark ignition	
Design	• Can be combined with all hobs in comfort design	
Safety functions	• Flame failure safety device	
Technical information	• Preset of town gas • Burner output	

Burner	Output (kW)
Front – standard burner	1.9
Rear – rapid speed burner	2.8
Total	4.7

Technical information	• Total connect load: 0.6W (13A) • Dimensions: - Appliance (H x W x D): 52 (excl. glass thickness) x 306 x 527 mm - Cut out (W x D): 270 x 490-500 mm
Supplied accessory	• Cast iron pan support with rubber feet
Optional accessory	• Connection strip (HEZ394301 Price: $900)
Country of origin	• Spain



* Minimum distance from the hob cut-out to the wall
** Position of the gas connection in the cut-out

For installation of 2 or more domino appliances



*Dependent on the cut-out depth



When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).



When installing a Domino units right next to a hob, an assembly kit (HEZ394301) is required

Measurements in mm



reddot design award
winner 2009

PIE375N14E
Domino 2-zone induction hob

$13,800

Performance	• 9 stages of power setting • DirectSelect touch control
Features	• Automatic pan recognition sensor • Kitchen timer with buzzer • Boost function for all zones
Design	• Facette front and rear side profiles • Can be combined with all hobs in comfort design • Electronic display • Main on/off switch
Safety functions	• 2 stage residual heat indicator for each zone - LED “H” when zones are above 95°C - LED “h” when zones are above 65°C • Safety switch-off • Small cookware detection • Anti overflow protection • PowerManagement function
Technical information	• Cooking zone output

Zone	Output (kW)	Output with booster (kW)	Diameter (mm)
Front	2.2	3.3	210
Rear	1.4	1.8	145

	• Total connected load: 3.6kW (20A single phase connection) • Dimensions: - Appliance (H x W x D): 59 (excl. glass thickness) x 306 x 527 mm - Cut out (W x D): 270 x 490-500 mm • Min. thickness of worktop: 20mm • Min. ventilation space: - 20mm from back of the cabinet to the wall - 45mm / 30mm from the worktop to the top of drawer or oven respectively
Optional accessory	• Connection strip (HEZ394301 Price: $900)
Country of origin	• Spain



* Minimum distance from the hob cut out to the wall
** Maximum recessed depth

Induction hob over a drawer



① Ventilation gap must be present

Induction hob over an oven



① Ventilation gap must be present

Measurements in mm

	PKU375V14E Domino BBQ griller	$12,300
	30 cm	
Performance	• 1 big grill zone on cast pan support • 9 stages of power setting	
Features	• Can be used as a water bath with water drainage	
Design	• Facette front and rear side profiles • Can be combined with all hobs in comfort design • Removable black glass lid • Stainless steel grill to be used with water or lava stones	
Safety functions	• Power on indicator light • Safety time switch off	
Technical information	• Total connected load: 2.4kW (13A) • Dimensions: - Appliance (H x W x D): 241(excl. glass thickness) x 306 x 527 mm - Cut out (W x D): 270 x 490-500 mm • Built-in depth: 107mm (235mm inclusive of drain valve) • Min. thickness of worktop: 30mm	
Optional accessory	• Connection strip (HEZ394301 Price: $900)	
Country of origin	• Austria	







L	X
306	882
396	972



L	X
606	876
816	1086
916	1186

Measurements in mm



	PKF375V14E **Domino 2-zone radiant hob**	**$10,300**
	30 cm · ProfileTrim	
Performance	• 2 cooking zones • 9 stages of power setting	
Features	• Knob control • 2 power on indicator lights	
Design	• Facette front and rear side profiles • Can be combined with all hobs in comfort design	
Safety functions	• 2 stage residual heat indicator for each zone	
Technical information	• Cooking zone output Zone / Output (kW) / Diameter (mm) Front: 0.8 / 2.0 / 120 / 180 Rear: 1.2 / 145 • Total connected load: 3.2kW (20A single phase connection) • Dimensions: - Appliance (H x W x D): 48 (excl. glass thickness) x 306 x 527 mm - Cut out (W x D): 270 x 490-500 mm • Min. thickness of worktop: 20mm	
Optional accessory	• Connection strip (HEZ394301 Price: $900)	
Country of origin	• Spain	



Assembly kit (HEZ394301) for Domino




306
527
306
L
X
min. 60-50
490-500+2
min. 50
min. 600
When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).

L	X
306	882
396	972



L	X
606	876
816	1086
916	1186

Measurements in mm

Refrigerators.

Cutting-edge technology that cuts energy costs too.

At Bosch we take energy efficiency very seriously and we work hard to make our cooling products some of the most energy-efficient performers in the industry.

Save energy with a Bosch fridge or freezer

Unlike your washing machine or dishwasher, your fridge or freezer is on 24 hours a day, so it is especially important that the appliance does not waste energy. Our cooling products are among the most energy-efficient performers in the industry, minimising environmental damage and saving you money. Every model in our range achieves an A+ rating in the EU Energy Efficiency rating scheme, a further 25% energy saving from class A.

Longer lasting food is good for the environment

Thanks to the advanced technology incorporated into each and every Bosch refrigeration appliance, food stays fresher for longer. That means less food ends up in the rubbish bin. Plus more food can be bought in bulk, which means fewer shopping trips and so less waste of natural resources.

Our refrigeration products are packed with good ideas.

On average we throw away one third of all the food we buy. That equals to 6.7 million tons of food every year, enough to fill Wembley Stadium eight times!* Bosch refrigeration products are packed with innovative features and storage solutions to keep food fresher for longer. Meaning that less food ends up in the rubbish bin, which is good for the environment as well as your pocket.

*Source: Wrap – The Food We Waste, Executive Summary, 2008

SuperCool
Putting new food into your fridge causes the internal temperature to increase, so your fridge has to work harder to cool down and the food already stored in there can get warmer. SuperCool will prepare your fridge by rapidly reducing the temperature, keeping the contents cool and quickly cooling the new groceries down to 2°C.

SuperFreeze
Adding new food to the freezer raises the internal temperature, the freezer has to work harder to avoid food already in there from warming-up and possibly even part defrosting. The SuperFreeze function rapidly lowers the temperature in the freezer, ensuring that the fresh food is frozen quickly while surrounding frozen food stays frozen. So even when the door is open for longer periods, the contents are protected.

FrostFree
This system eliminates the formation of ice on food and the freezer interior, meaning you never have to worry about defrosting again. Intelligent electronics ensure that the defrost operation is only initiated when the appliance actually needs it.

Auto-defrost
Automatically defrosts the fridge at regular intervals without the need to switch off the appliance or remove the food stored.

Electronic temperature control
Accurate temperature control is essential to maximise the freshness of your food. Our premium refrigerators feature accurate electronic control and temperature display for both fridge and freezer sections.

Freezer compartment
Bosch freezer compartments allow food to be stored below –18°C so that it can be stored for longer. As it is a 4 star compartment, you can freeze fresh food.

Airstream shelving
Air vents at the back of the shelf allow an increased level of air circulation within the fridge. This improved circulation leads to food staying fresher for longer due to a more even temperature within the fridge.

Vegetable/Salad drawer with rippled base
Food will stay fresher for longer, as the ripple base technology helps improved air circulation around the produce.

Day Light
This bright white light will throw an attractive light on the produce on your fridge, illuminating the whole space brilliantly.

Flat hinge design
To facilitate the quick and easy fitting of secondary furniture doors without the need for extra drilling. Easy to fit, this design offers an increased opening angle of 115° and features automatic door closing at an angle of less than 20°.

Door open alarm
With this feature, if you inadvertently leave your freezer door ajar an alarm will sound so that you can prevent food spoilage. For extra peace of mind, there is a warning light that will illuminate to let you know immediately should the freezer reach a dangerously high temperature.

	KIV34A21FF Built-in 2-door refrigerator, bottom freezer	$15,300
	Energy A+ · HK Energy 1 · SafetyGlass · SuperFreezing · Electronic Control · 177 cm	
Performance	• EU Energy efficiency class: A+ (281 kWh per year) • HK Energy label: Grade 1 • Total net capacity: 274 litres • Net fridge capacity: 204 litres • Net freezer capacity: 70 litres • Freezing capacity in 24 hours: 6 kg • Maximum freezer storage in power failure: 24 hours • Noise level: 40 dB • Total connected load: 0.09 kW (10A)	
Key features	• Manual defrost freezer • Auto defrost function in fridge • Removable magnetic door seals - easy to clean and to replace	
Additional features	• 5 safety glass shelves in fridge compartment of which 4 are height adjustable • 1 vegetable/salad container • Small pull out fridge tray • 2 cold packs • 2 egg trays • 1 ice cube tray • 1 butter dish • Internal fridge light • **** freezer • 3 transparent freezer drawers • Right hinged door, door reversible	
Functions	• SuperFreezing function with automatic deactivation • Freezing calendar	
Design	• Follow-door hinge • LED electronic control • Dimensions (H x W x D): 1,772 x 541 x 545 mm	
Country of origin	• Germany	







The specified unit door dimensions are valid for a door gap of 4 mm. If a different gap width is used (max. 14 mm), the dimensions must be adjusted.

	KUR15A50GB Built-under fridge	$11,300
	Energy A+ · HK Energy 1 · SafetyGlass · LED Light · 82 cm	
Performance	• EU Energy efficiency class: A+ (118 kWh per year) • HK Energy label: Grade 1 • Total net capacity: 141 litres • Noise level: 38 dB • Total connected load: 0.09 kW (13A)	
Key features	• Auto defrost function in fridge • Removable magnetic door seals - easy to clean and to replace	
Additional features	• 3 safety glass shelves in fridge compartment of which 3 are height adjustable • 1 vegetable/salad container • Large pull out drawer • 1 egg tray • Bottle holder in lowest door tray • Day light-bright interior lighting • Right hinged door, door reversible • Ventilation through plinth, no cutting of worktop required	
Design	• Flush-folding hinge • Mechanical control • Dimensions (H x W x D): 818-868 x 598 x 548 mm	
Country of origin	• Germany	



* Socket on the side



Measurements in mm

	GUD15A50GB Built-under freezer	$11,300
	Energy A+ · HK Energy 1 · SuperFreezing · 82 cm	
Performance	• EU Energy efficiency class: A+ (193 kWh per year) • HK Energy label: Grade 1 • Total net capacity: 98 litres • Freezing capacity in 24 hours: 12 kg • Maximum freezer storage time in power failure: 24 hours • Noise level: 38 dB • Total connected load: 0.09 kW (13A)	
Key features	• Manual defrost freezer • Removable magnetic door seals - easy to clean and to replace	
Additional features	• **** freezer • 3 freezer drawers • 2 cold packs • 1 ice cube tray • Right hinged door, door reversible • Ventilation through plinth, no cutting of worktop required	
Functions	• SuperFreeze function with manual deactivation • Freezing calendar • Door open warning signal: yes • Malfunction warning signal: optical, acoustic	
Design	• Flush-folding hinge • Mechanical control • Dimensions (H x W x D): 818-868 x 598 x 548 mm	
Country of origin	• Germany	



* Socket on the side



* Adjustable plinth and appliance height

Measurements in mm

Side by side refrigerator

Brilliant masterpiece in XXL format, the new Bosch Side by side refrigerator will easily cope with the demands of a large family and make a bold design statement too.

Saving a further 20% of energy with A+
The Bosch side by side model set the standard in high-performance refrigeration technology combined with outstanding environmental-friendliness. The model has an A+ energy efficiency rating and are up to 20% more economical than energy efficiency class A.

In-door electronic controls
The model features fully electronic controls set conveniently into the door exterior, giving you precise fingertip control of the temperature of both the fridge and freezer compartments.

Dazzling illumination
The interiors of our side by side refrigerator shines with exceptionally bright lighting for optimum viewing.

Separate cooling systems
A separate evaporator for the fridge and freezer sections, not only prevents the transfer of flavours, but also allows the fridge and freezer temperatures to be controlled separately.

KAN62V41GB stainless steel look — $15,000

Side-by-side fridge freezer

Energy A+ | HK Energy 1 | Telescopic Drawer | SuperFreezing | Separate Temperature Control | SafetyGlass | Frost free | MultiAirflow | IceTwister | EasyLift | 2 Cooling Systems | BigBox

Performance	• EU Energy efficiency class: A+ (520kWh per year) • HK Energy label: Grade 1 • Total net capacity: 604 litres • Net fridge capacity: 385 litres • Net freezer capacity: 219 litres • Freezing capacity in 24 hours: 12kg • Maximum freezer storage time in power failure: 16hours • Noise level: 44dB • Total connected load: 0.3kW (10A)
Key features	• Frost free freezer • Auto defrost function in fridge • Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity • MultiAirflow system – improves circulation of air around the fridge • Day light-bright interior lighting • Removable magnetic door seals – easy to clean and to replace
Additional features	• 4 safety glass shelves in fridge compartment of which 3 are height adjustable • 2 vegetable/salad containers • 2 freezer drawers • Left hinged, right hinged door • 4 height adjustable feet
Functions	• SuperCool function with automatic deactivation • SuperFreezing function with automatic deactivation • Door open warning signal: optical and acoustical • Malfunction warning signal: optical and acoustical
Design	• Stainless steel look door and chrome inox metallic panels • Electronic control • Dimensions (H x W x D): 1,756 x 910 x 700 (766*) mm * Include door handle
Country of origin	• China







Measurements in mm

reddot design award

	KSL20S54 Classic edition refrigerator **Cappuccino** **$16,800**
	Energy A+ · HK Energy 1 · Electronic · SafetyGlass · SuperCooling
Performance	• EU Energy Efficiency Class: A+ (202kWh per year) • HK Energy label: Grade 1 • Total net capacity: 164 litres • Net fridge capacity: 147 litres • Net freezer capacity: 17 litres • Freezing capacity in 24 hours: 2 kg • Maximum freezer storage time in power failure: 12 hours • Noise level: 38 dB • Total connected load: 0.09kW (10A)
Key features	• LED electronic control • Auto defrost function in fridge
Additional features	• 4 safety glass shelves in fridge compartment of which 3 are height adjustable • Pull out drawer • Bottle rack • Vegetable container with ribbed bottom and humidity control • 5 door shelfs • Interior lighting in fridge • Ice compartment suited for Pizzas
Function	• SuperCool function with automatic deactivation
Design	• Square-edged door and casing in Cappuccino colour • Interior with metal applications • Electronic control • Dimensions (H x W x D): 1,270 x 660 x 630 mm
Country of origin	• Germany

reddot design award

	KSL20S55 Classic edition refrigerator **Wine Red**	**$16,800**
	Energy A+ · HK Energy 1 · Electronic · SafetyGlass · SuperCooling	
Performance	• EU Energy Efficiency Class: A+ (202kWh per year) • HK Energy label: Grade 1 • Total net capacity: 164 litres • Net fridge capacity: 147 litres • Net freezer capacity: 17 litres • Freezing capacity in 24 hours: 2 kg • Maximum freezer storage time in power failure: 12 hours • Noise level: 38 dB • Total connected load: 0.09kW (10A)	
Key features	• LED electronic control • Auto defrost function in fridge	
Additional features	• 4 safety glass shelves in fridge compartment of which 3 are height adjustable • Pull out drawer • Bottle rack • Vegetable container with ribbed bottom and humidity control • 5 door shelfs • Interior lighting in fridge • Ice compartment suited for Pizzas	
Function	• SuperCool function with automatic deactivation	
Design	• Square-edged door and casing in Wine Red colour • Interior with metal applications • Electronic control • Dimensions (H x W x D): 1,270 x 660 x 630 mm	
Country of origin	• Germany	

reddot design award

	KSL20S56 Classic edition refrigerator Black — $16,800
	Energy A+ · HK Energy 1 · Electronic · SafetyGlass · SuperCooling
Performance	• EU Energy Efficiency Class: A+ (202kWh per year) • HK Energy label: Grade 1 • Total net capacity: 164 litres • Net fridge capacity: 147 litres • Net freezer capacity: 17 litres • Freezing capacity in 24 hours: 2 kg • Maximum freezer storage time in power failure: 12 hours • Noise level: 38 dB • Total connected load: 0.09kW (10A)
Key features	• LED electronic control • Auto defrost function in fridge
Additional features	• 4 safety glass shelves in fridge compartment of which 3 are height adjustable • Pull out drawer • Bottle rack • Vegetable container with ribbed bottom and humidity control • 5 door shelfs • Interior lighting in fridge • Ice compartment suited for Pizzas
Function	• SuperCool function with automatic deactivation
Design	• Square-edged door and casing in Black • Interior with metal applications • Electronic control • Dimensions (H x W x D): 1,270 x 660 x 630 mm
Country of origin	• Germany

reddot design award

	KSL20S57 Classic edition refrigerator White — $16,800
	Energy A+ · HK Energy 1 · Electronic · SafetyGlass · SuperCooling
Performance	• Energy Efficiency Class: A+ (202kWh per year) • HK Energy label: Grade 1 • Total net capacity: 164 litres • Net fridge capacity: 147 litres • Net freezer capacity: 17 litres • Freezing capacity in 24 hours: 2 kg • Maximum freezer storage time in power failure: 12 hours • Noise level: 38 dB • Total connected load: 0.09kW (10A)
Key features	• LED electronic control • Auto defrost function in fridge
Additional features	• 4 safety glass shelves in fridge compartment of which 3 are height adjustable • Pull out drawer • Bottle rack • Vegetable container with ribbed bottom and humidity control • 5 door shelfs • Interior lighting in fridge • Ice compartment suited for Pizzas
Function	• SuperCool function with automatic deactivation
Design	• Square-edged door and casing in White • Interior with metal applications • Electronic control • Dimensions (H x W x D): 1,270 x 660 x 630 mm
Country of origin	• Germany

Dishwashers.

Small and strong.
Six neat ideas for smart dishwashing.

Smart solutions don't have to be big: The new Bosch ActiveWater Smart compact and modular dishwashers save space and energy. They install at a comfortably high level, spare you the bending and impress with innovative technologies and top performance.

Less energy
The new Bosch ActiveWater Smart compact and modular dishwashers, A-rated for energy efficiency, save electricity and are more efficient than other comparable dishwashers on the market.

More modularity
Bosch has opened up whole new dimensions in fitted kitchens. Their optimum dimensions permit creative kitchen designs and bespoke kitchen concepts. The stylish stainless steel design makes perfect integration in your kitchen even easier.

Less water
Thanks to the world-first uniquely innovative Bosch ActiveWater technology, these dishwashers are amongst the most economical in the world. And by using every single drop of water to maximum effect, they also effectively help to protect our environment.

More ergonomics
Tiresome bending and a poor view of the dishwasher interior are past history. Now you can install your ActiveWater Smart modular dishwasher at the exact height for your comfort and, above all, effortless loading and unloading without any bending.

Less space
At a height of 60 cm, the new compact and modular dishwashers fit into practically every kitchen. With a capacity of eight place settings, they offer ample space for soiled dishes. The perfect solution for one-person households, offices, small kitchens, kitchenettes or high quality designer kitchens.

More performance
Despite its most sparing use of resources, ActiveWater Smart dishwashers offer optimum cleaning and brilliant results. Top performance is also assured by numerous programmes and special functions.

The best possible wash result with Bosch dishwashers.

Better energy & water efficiency

VarioSpeed™ functionality on all models with display

Research shows that consumers are often looking for a time saving feature to help reduce the length of programme. With a Bosch dishwasher, you can have the option of having your dishes cleaned in the normal time using the standard programme or choose to reduce the length of the programme with VarioSpeed™

VarioSpeed™ reduces programme time by approximately up to 50% without sacrificing on washing and drying performance.

Hygiene

The hygiene option removes 99.9% of all bacteria and germs through the increased rinsing time. No matter which washing programme you select, an additional heating period is started during the final rinse stage. This makes the hygiene option particularly suitable for cleaning containers and utensils which require special treatment, such as baby bottles or cutting boards.

extraDry

Increase water temperature and prolong drying time during final rinse which results in better drying performance.

IntensiveZone-Power treatment for pots and pans

The IntensiveZone in the bottom basket meant specially for pots and pans, comes with power spray pressure and a higher cleaning temperature.

ActiveWater dishwashers save you the chore of scrubbing heavily soiled pots and pans. With the optional IntensiveZone function, the entire bottom basket is transformed into a powerful cleaning zone with increased spray pressure and a higher cleaning temperature, while in the top basket, delicate glasses and dishes are rinsed gently and protectively. You can therefore do a "mixed" load and enjoy outstanding cleaning results for the lot.

AquaSensor

The AquaSensor constantly monitor the turbidity of the rising water. This is done through activation of the Auto Programmes. Simply select the programme of your choice and the AquaSensor will decide exactly how long to wash for and how much water should be used in the cycle!

Enhanced safety

AquaStop™

Patented by Bosch in 1985 AquaStop and copied throughout the world, the AquaStop™ safety system prevents any type of water damage whether at the inlet hose or because of a leak in the machine. This system provides 24 hours protection each day.

Improved operation

Whisper quiet operation

Bosch dishwashers have been designed to be whisper quiet. Multiple levels of soundproofing materials on the roof, sides and door of the dishwasher combined with a vibration-proof base plate and specially mounted motor pump, all help in reducing any noise while the load is being washed. The pumps and a closed water cycle produce less noise as the water is distributed equally through the spray arms.

Heat exchanger

With the heat exchanger, high temperature for the first rinse also pre-heats sufficient cold water within the machine's tank for the next rinse, protecting fragile items from rapid temperature change. Ensuing steam for the drying process reacts with the cold water tank surface to condense and cool the machine air. Without contact with outside air, the entire wash/dry cycle is self-contained and absolutely hygienic.

	SCE63M15EU 60cm modular dishwasher	$12,300

Performance	• Energy efficiency class: A+ • Drying performance class: A
Programmes	• Intensive 70ºC • Auto 45-65ºC • Eco 50ºC • Delicate 40ºC • Quick wash 45ºC • Pre-rinse
Functions	• varioSpeed • Hygiene • intensiveZone • extraDry
Technology	• aquaSensor • Heat exchanger • aquaStop anti-flood system
Control	• LED front panel display with remaining time indicator • 24-hour delay start timer
Design	• Stainless steel front
Flexibility	• Moveable cutlery basket
Safety	• Control panel lock
Technical information	• 8 place settings • Consumption rates (Eco 50ºC programme) - Water: 8.7L - Electricity: 0.73kWh • Noise level: 45dB • Total connected load: 2.4kW (13A) • Dimensions (H x W x D): - Appliance: 595 x 595 x 500 mm
Country of origin	• Spain

Green Technology inside









Nominal lengths:

AquaStop:	1.65m	Extension:	
Drain hose:	2.25m	AquaStop:	2.20m
Mains cable:	1.70m	Drain hose:	2.00m

Measurements in mm

	SMI40E25EU **60cm intergrated dishwasher**	**$8,300**
	Energy A+ · Drying Performance A · VarioSpeed · Half load · AquaStop · Timer 24	
Performance	• Energy efficiency class: A+ • Drying performance class: A	
Programmes	• Normal 65°C • Eco 50°C • Quick wash 45°C • Pre-rinse	
Functions	• varioSpeed • Half load	
Technology	• aquaStop anti-flood system	
Control	• LED front panel display with remaining time indicator • 1-24 hours start timer	
Design	• Stainless steel front panel	
Flexibility	• Moveable cutlery basket	
Technical information	• 12 place settings • Consumption rates (Eco 50°C programme) - Water: 14L - Electricity: 1.02kWh • Noise level: 52dB • Total connected load: 2.4kW (13A) • Dimensions (H x W x D): - Appliance: 815-875 x 598 x 573 mm	
Optional accessories	• Plinth casing and door, stainless steel (SMZ2044 Price: $2,400) • Baby care kit (SMZ5001 Price: $350)	
Country of origin	• Turkey	



** Stainless steel panel up to max. 143mm
* Because of height-adjustable screw feet:
when appliance height is 815, base height is 90-160mm
when appliance height is 875, base height is 150-220mm





( ) values with extension kit

Measurements in mm

Home laundry.

Perfectly tailored to suit modern fabrics and lifestyles.

Because every garment is different we have designed a whole range of individual care programmes to make sure you get the best results every time.

Cottons
An intensive programme with a temperature range up to 90°C and a fast final spin.

Easy Care
Designed for synthetic fabrics, which absorb minimal moisture and dirt. A range of temperatures up to 40°C and a gentle spin up to 1000rpm ensures maximum care of all your laundry.

Mixed Load
A fast wash that allows mixed fabrics and colour loads to be safely washed together. Originally designed with school uniforms in mind, it is capable of handling up to 3kg of washing and is ideal for quick washes.

Delicates / Silk
An especially caring programme with a gentle wash action. Intermediate spinning in the rinse cycle is omitted and a gentle final spin at 600rpm completes this delicate programme.

Wool
An exceptionally gentle woollens handwash programme, which runs at only 27rpm (usual speed 50rpm) with a soft wash action and special spin phase that ensures that everything stays in good shape.

Prewash
A 20-minute, 35°C wash for especially dirty clothes. The prewash loosens and removes dirt prior to the main wash.

Wash plus system
The Wash plus system extends wash programme to give a more intensive wash and brings the equivalent of an A-class wash performance to a wider range of temperatures than ever before, unlike most washing machines on the market. Bosch machines now deliver the equivalent of an A-class performance not only at 60°C, but at 40°C and 90°C as well.

Reduced ironing
The laundry is tumbled gently periodically during the normal programme spin cycle and then again at the end of the spin phase, keeping laundry fluffy and tangle free. The result is reduced creasing and therefore easier ironing.

We take the chore out of laundry.

As Europe's leading washing machine manufacturer you can be assured that when it comes to laundry we've thought of everything.

Large drying capacity
The maximum drying capacity of a standard washer dryer is 2.5kg. The new Bosch washer dryer can wash and dry up to 4kg of laundry in one go, which is equivalent to 18 shirts or 30 T-shirts. If you're just using one of the wash programmes you can wash up to 6kg of laundry.

Sensor Drying
Throughout the drying cycle advanced sensor electronics monitor your laundry, preventing overheating and automatically stopping once your garments reach the desired level of dryness. Fibre damage and excess energy consumption caused by over drying become things of the past.

Flexi Time
Designed especially for lightly soiled items, Flexi Time allows you to reduce the wash time by up to 30%. Press the button once to reduce the wash time or if the items are only very lightly soiled press it twice to reduce the wash time even further.

Fluff Clean
For use after each drying cycle, the Fluff Clean programme conveniently cleans the drum preventing fluff on the next wash load.

Water Plus
A higher water level is used throughout the wash and rinse cycles of the chosen wash programme for best rinsing results.

Multisafe
All Bosch washing machines are designed with safety in mind, from the highly pressure-resistant water supply hose and overflow prevention systems, to the electronic lock that prevents the porthole from being opened unintentionally mid-cycle.

3D AquaSpa wash system
A wash and shower system for optimum washing results. Water enters the drum from three sides for quick and effective distribution. During the cycle especially designed paddles scoop up the water gently bathing the wash load, ensuring gentle washing and optimum usage of the water in the drum.

Safety lock
The safety lock feature will prevent little fingers from interfering with the machine when it is functioning.

	WKD28350GB Fully-integrated washer dryer	$14,800

Energy B | HK Energy 1 | HK Water 1 | Washing A | Spinning B | 6 kg | 3D-AquaSpa | 60 cm

Performance	• B energy, A wash and B spin class • HK Energy label: Grade 1 • HK Water label: Grade 1 • Energy consumption wash and dry: 4.85 kWh • Water consumption wash and dry: 83 litres • Washing capacity: 6 kg • Drying capacity (cotton): 4 kg • Spin speed selection from 600 to 1400 rpm • Non-stop wash and dry programme 4 kg • Total connected load: 2.3 kW (13A)
Key features	• Fully electronic control dial for all wash and special programmes • Timed programmes
Additional features	• AquaSpa wash system for faster water penetration • Safeguard monitoring system adjusts load distribution and programme settings to protect clothes • Foam detection system • Buzzer to indicate the end of cycle • Childlock • Multiple Water Protection • Metal door catch
Programmes	• Special programmes (washing): Mixed Load, Wool Programme, Delicate/Silk • Special programme (drying): Intensive Dry, Gentle Dry, Fluff Clean • Washing options: Prewash, Intensive, Easy Iron, Water Plus, Flexi Time
Design	• Display for programme time remaining and progress indication • Door hinged on left • Decor door is reversible • Dimensions (H x W x D): 820 x 595 x 584 mm • Fully integratable
Country of origin	• Italy





Measurements in mm

Service you can trust in.

Reliable, expert, fast: the customer service of Bosch, the manufacturer.
Before and after purchase - a lifetime long.



Our service quality. Awarded!
Our Bosch customer service scores top marks around the world for its performance. In Great Britain, for instance, it was winner of the "Total Excellence & Quality Award".

Reliability guaranteed. No compromises.
All Bosch home appliances are produced with maximum care, in high quality materials. We promise it in our 2-year manufacturer's warranty on all appliances. Furthermore, a 5 years warranty is provided for the compressor on all Bosch refrigerators.

Quality service straight from the manufacturer. Original Bosch.
We are committed to quality - also when it comes to after sales service. For no-one knows our appliances better than our highly trained service engineers. They are working with the latest equipment for measuring, diagnostics and repairs, and use only original Bosch spare parts.

Extensive customer services network. Just a call away.
Help in your home for large appliances such as washing machines or dishwashers need specialised engineers who offer on-site diagnosis and repairs. We are just a phone call away!

Fair repair prices. Guaranteed.
Our customer-friendly pricing system is transparent and reliable. We will be happy to advise you the best solution. And after the 2-years warranty period, you will still have an extra 6 months warranty on repairs performed.

Lifetime service. It goes without saying at Bosch.
Once your warranty period is over, we are still there to assist you. You can rely on expert care and first-rate service throughout your appliance's life cycle. From missing instruction manuals to appliance repair - we take care of everything. A promise is a promise!

Original accessories. Effective care products.
Take a look at our extensive range of accessories for some inspiration: discover additional uses, replace old materials for optimum operation or simply give a trusty home appliance a good work-over. With the right care, you will be able to enjoy your high quality appliance for many years to come.

Customer Care Centre Hong Kong:
Unit 1&2, 3/F, North Block, Skyway House,
3 Sham Mong Road, Tai Kok Tsui,
Kowloon, Hong Kong

Customer Care Hotline: 2626 9655 (Hong Kong) / 0800 863 (Macau local call only)
Fax: (852) 2565 6681
www.bosch-home.com.hk

Model numbers and specifications are for reference only and subject to change without prior notice.

Right of technical modification reserved, delivery subject to availability, colors of plastic components may vary from illustrations. ®Registered trademark

©2012 BSH Home Appliances Limited. All rights reserved. All contents and information contained in this Catalogue are proprietary to BSH Home Appliances Limited and are subjected to copyright protection. Reproduction, republication, redistribution or unauthorized use of any content or information contained in this Catalogue is expressly prohibited without the prior written consent of BSH Home Appliances Limited. Printing in Hong Kong [02.2013]